

ANACREDIT EXPERIENCES

WOULD AN XBRL TAXONOMY BE OF ANY HELP FOR THIS TYPE OF GRANULAR REPORTING?

DAVID PALLUCH AMANA CONSULTING GMBH

Frankfurt, June 18th



TOC

- 1. What is AnaCredit
- 2. Should you use XBRL for AnaCredit
- 3. Other challenges









WHAT IS ANACREDIT

- Detailed information on individual loans must be reported

- Around 100 attributes can be reported
- 4 different schemas
- Reporting interval: monthly or quarterly

 \rightarrow Large amount of data must be reported on a regularly basis

3



WHAT IS ANACREDIT

Report format: SDMX XML

- Static tables contains data, which must not reported in each reporting period








©Disney







((eurofiling






- Open Information Model (OIM), a syntax-independent model for XBRL data

- XBRL can be transformed into other representations, e.g. CSV or JSON







N. Kanada



the share and the state of the second and the second



- Consistent rendering of XBRL files using presentation/table linkbases

- AnaCredit table structures are quite simple
- Validation via formula linkbase
 - Not all validations can be covered using those formulas (e.g. validation spanning multiple reports or reporting periods)







CONCLUSION

- Size matters: larger overhead in XBRL blows up file size for large reports

- SDMX is easy to read (no memorization of context elements, etc.)
- XBRL has some advantages, however they cannot be (easily) applied to AnaCredit
 Filings







OTHER CHALLENGES

- Legal questions: what to do if information were requested, which are protected by local law
- Different schemas & requirements in different countries







THANK YOU FOR YOUR ATTENTION



David Palluch

XBRL Developer & Consultant

david.palluch@amana.de



